

FAX	EMAIL	WEB	SMS
RP	SP	OP	LOCAL
Despatch			

Website: www.oscsc.in  
Fax No.-0674-2395291  
Phone No.-2395291



## ODISHA STATE CIVIL SUPPLIES CORPORATION LTD.

Plot No.C/2, Nayapalli, Bhubaneswar-751012

CIN: U51211OR1980SGC000894

(A Govt. of Odisha Undertaking)

### TENDER CALL NOTICE

No:Syst/Pur/06(pt.1)/2018-19 15240 dt. 18.10.19.

Sealed Tenders are invited from the intending authorized dealers registered under GST Act and having PAN Number for supply of Computers & other peripherals for use in OSCSC Ltd. The quotation completed in all respect shall be submitted by 28.10.2019 at 02.00 p.m. which will be opened on the same day at 04.00 P.M. For other details please refer to our website www.oscsc.in or from the Notice Board of OSCSC Ltd., C/2 Nayapalli, Bhubaneswar-751012 during office hour.

MVI:  
17.10.19  
Managing Director  
Managing Director  
OSCSC Ltd., BBSR

Memo No. 15241 Dated 18-10-19.

Copy forwarded to Sri Lingaraj Mohanty, Jr. Assistant, Housekeeping section for publishing the above Tender Call Notice in the Odia newspaper "The Samaja", "Pragatibadi" & in the English newspaper "The New Indian Express" on dt. 19.10.2019 positively.

Sy S  
18/10/19.

MVI



Website: www.oscsc.in

Fax No.-0674-2395291

Phone No.-2395291

## ODISHA STATE CIVIL SUPPLIES CORPORATION LTD.

Plot No.C/2, Nayapalli, Bhubaneswar-751012

CIN: U51211OR1980SGC000894

(A Govt. of Odisha Undertaking)

### TENDER CALL NOTICE

No:Syst/Purchase/06 (pt.1)/2018-19

15237

Dated: 18-10-19.

Sealed tenders in plain paper/letter pad are invited from the intending authorized dealers in jurisdiction of Bhubaneswar registered under GST Act and having PAN Number for supply of Desktops, UPS, Printers, MFP, wifi Adapter & MS Office for office use in OSCSC Ltd. The quotation completed in all respect shall reach the undersigned by Speed Post/Registered Post/Courier super scribing the word "TENDER PAPER FOR SUPPLY OF DESKTOPS & OTHER PERIPHERALS" on the envelope containing quotations & EMD. The last date of receipt of tender papers is 28.10.2019 at 2.00 P.M. The tender papers shall be opened on 28.10.2019 at 4.00 P.M. in the presence of tenderers or their authorized representatives (if they wish) in the chamber of the FA & CAO, OSCSC Ltd. Bhubaneswar. The tender paper shall contain a Bank Draft amounting to Rs.25,000/- (Rupees Twenty-Five Thousand only) drawn in favor of the Managing Director, OSCSC Ltd., Bhubaneswar towards EMD. The tender papers will not be received after the specified date & time as mentioned above.

*Mr*  
Managing Director  
OSCSC Ltd., BBSR

1-11 Pages

**LIST OF DOCUMENTS TO BE ATTACHED WITH THE TENDER PAPER**

SL No.	BASIC REQUIREMENT	SPECIFIC REQUIREMENT	DOCUMENTS REQUIRED
1	Legal entity	The tenderer must be an authorized vendor or supplier. The tenderer must be a registered dealer under the GST act and should have PAN Number.	-GST Registration Certificate -PAN copy -Certificate of Authorization from the OEM.
2	Local Presence of the tenderer	The tenderer should have registered office at Bhubaneshwar, Odisha.	Self-certified letter on existence of Local office along with necessary evidence
3	Black Listing	Affidavit by the authorized signatory of the tenderer that the firm has not been black listed by any central/state government and public sector undertaking.	Affidavit/ Declaration to this effect.
4	EMD	The tenderer must have submitted the EMD of Rs.25,000 /- (Rupees Twenty-Five Thousand only)	In shape of Account payee DD from any nationalized bank

  
**Managing Director**  
**OSCSC Ltd., BBSR**

Quantity of the Items for which the price to be quoted


Sl no.	Item Description	Quantity
1	Lenovo Desktop (9 <sup>th</sup> Gen)	25
2	Lenovo Desktop (8 <sup>th</sup> Gen)	5
3	UPS (600 VA)	3
4	UPS (1KVA)	26
5	Multifunction Printer	4
6	Laser Printer	3
7	MS Office (Home & Business) 2019	5
8	MS Office STD 2019	5
9	Wi-Fi Adapter	20

*Mr.*  
Managing Director  
OSCSC Ltd., BBSR



### Specification of Desktop (Lenovo Commercial Model Only)

Sl No	Feature	Specifications
1	Processor	Intel® Core i5 9 <sup>th</sup> 9400 Generation
2	Chipset	Intel B360 Chipset
3	Memory	8 GB DDR4 RAM expandable to 32 GB 2 DIMM High Frequency 2666MHz
4	Hard Disk Drive	1 TB HDD @ 7200 RPM
5	Optical Drive	No Optical Drive
6	Graphics	Integrated UHD Graphics
7	Audio	High Definition Integrated Audio with Internal Speaker
8	Ethernet/Communication	Integrated Gigabit (10/100/1000 NIC) LAN
9	Slots	Minimum 4 expansion slots (should have 1 slot of each type: 1xPCIex1 & 1 x PCIex16, 1 PCIex4, 1 PCI, 1 M.2)
10	Bays	Minimum 4 bays with at least (2) 3.5" Drive bays & (1) ODD bay
11	Ports	Minimum 10 USB Ports (2 USB 3.1 Gen 2 & 4 USB 3.1 Gen 1 Front Ports) & (2 USB 3.1 Gen 2 & 2 USB 2.0, Rear Ports) Smart USB Protection, CTO and Think service with Make in India platform (1) VGA /HDMI video port; (2) Display Port, (3) RJ-45 network connector, (4) serial port, (5) Universal Audio jack in front (6) one headphone jack in front
12	Form Factor	Tower
13	Power Supply	180 W Power Supply with 85% efficiency or better
14	Keyboard/Mouse	USB 104 keys keyboard (Same make as PC) USB 2 Button optical scroll Mouse (Same make as PC)
15	Operating System	Microsoft Windows 10 Pro 64-bit pre- loaded Licensed Version.
16	Diagnostic Tool	Inbuilt Pre-Boot BIOS Diagnostics
17	Security	TPM 2.0, USB enable/disable (via BIOS Removable media write/boot control Power-On password (via BIOS) Administrator password (via BIOS)
18	Information Accessibility	Product details, specifications and brochure to be available in public domain
19	Support	Drivers should be available for download from OEM site for at least 3 years from the date of delivery (Last Consignment).
20	Monitor	19.5" 178/178 Viewing Angle, IPS Panel (better than TN), Brightness: 250cdm2, Contrast Ratio 1000:1 (25% Brighter & 66% higher than 18.5-inch TN based monitors
21	Warranty	Three Years onsite comprehensive warranty

  
 Managing Director  
 QSCSC Ltd., BBSR

## Specification of Desktop (Lenovo Commercial Model Only)

Sl No	Feature	Specifications
1	Processor	Intel® Core i5 8 <sup>th</sup> 8400 Generation
2	Chipset	Intel B360 Chipset
3	Memory	16GB DDR4 RAM expandable to 32 GB 2 DIMM High Frequency 2666MHz
4	Hard Disk Drive	1 TB HDD @ 7200 RPM
5	Optical Drive	No Optical Drive
6	Graphics	Integrated UHD Graphics 630 in processor
7	Audio	High Definition Integrated Audio with Internal Speaker
8	Ethernet/Communication	Integrated Gigabit (10/100/1000 NIC) LAN
9	Slots	Minimum 4 expansion slots (should have 1 slot of each type: 1xPCIex1 & 1 x PCIex16, 1 PCIex4, 1 PCI, 1 M.2)
10	Bays	Minimum 4 bays with at least (2) 3.5" Drive bays & (1) ODD bay
11	Ports	Minimum 10 USB Ports (2 USB 3.1 Gen 2 & 4 USB 3.1 Gen 1 Front Ports) & (2 USB 3.1 Gen 2 & 2 USB 2.0, Rear Ports) Smart USB Protection, CTO and Think service with Make in India platform (1) VGA /HDMI video port; (2) Display Port, (3) RJ-45 network connector, (4) serial port, (5) Universal Audio jack in front (6) one headphone jack in front
12	Form Factor	Tower
13	Power Supply	180 W Power Supply with 85% efficiency or better
14	Keyboard/Mouse	USB 104 keys keyboard (Same make as PC) USB 2 Button optical scroll Mouse (Same make as PC)
15	Operating System	Microsoft Windows 10 Pro 64-bit pre- loaded Licensed Version.
16	Diagnostic Tool	Inbuilt Pre-Boot BIOS Diagnostics
17	Security	TPM 2.0, USB enable/disable (via BIOS Removable media write/boot control Power-On password (via BIOS) Administrator password (via BIOS)
18	Information Accessibility	Product details, specifications and brochure to be available in public domain
19	Support	Drivers should be available for download from OEM site for at least 3 years from the date of delivery (Last Consignment).
20	Monitor	19.5" 178/178 Viewing Angle, IPS Panel (better than TN), Brightness: 250cdm2, Contrast Ratio 1000:1 (25% Brighter & 66% higher than 18.5-Inch TN based monitors
21	Warranty	Three Years onsite comprehensive warranty

  
**Managing Director**  
**OSCSC Ltd., BBSR**

## Technical Specification for 600VA Line Interactive UPS System

S.N	Parameter	Description of Requirement	
Input			
1.	Input Voltage	140 - 300VAC	
2.	Nominal Frequency	50 Hz.	
3.	Input Connection	Indian / Detachable IEC power cord (1.8 m and 1.2 m cords included)	
Output			
4.	Output Capacity	600 VA / 360 Watts	
5.	Output Volt., Freq. (on utility)	220V/230V/ 240VAC, 50Hz	
6.	Output Volt., Freq. (on battery)	230V $\pm$ 10%, 50Hz. $\pm$ 2%	
7.	Output Connections	Minimum 3 nos. battery backed IEC 320 outlets.	
8.	Waveform Type (Battery mode)	Simulated Sine Wave	
9.	Overload	110% +/-10% Shutdown after 5 mins	
10.	Off mode charging.	UPS should get charged in off mode also.	
11.	Cold start function.	UPS should get switched on even if supply power is not available.	
Other			
12.	AC Power Surge Protection	All outlets	
13.	Battery Type	1 Nos. 12V 7Ah, Sealed, lead-acid, maintenance-free	
14.	Indications	AC Mode Battery Mode Fault	Green lighting Green flashing Red lighting
15.	Alarms	Battery Mode Low Battery Overload Battery Replacements Fault	Sounding every 10 seconds Sounding every second Sounding every 0.5 second Sounding every 2 second Continuously sounding
16.	Protection	Over load, discharge and over charge protection.	
17.	Operating Temperature	0-40 Deg C.	
18.	OEM Certifications	BIS, ISO 90001 and ISO 14401 & ISO 27001, FROST &Sullivan DATA (Used for Tender Bidding)	
19.	Warranty	2 Years Comprehensive Onsite warranty including Battery.	


  
**Managing Director**  
**OSCS Ltd., BBSR**



## Technical Specification for 1000VA Line Interactive UPS System

Technical Specification for

S.N	Parameter	Description of Requirement	
Input			
20.	Input Voltage	140 - 300VAC	
21.	Nominal Frequency	50 Hz.	
22.	Input Connection	Indian / Detachable IEC power cord (1.8 m and 1.2 m cords included)	
Output			
23.	Output Capacity	1000 VA / 600 Watts	
24.	Output Volt., Freq. (on utility)	220V/230V/ 240VAC, 50Hz	
25.	Output Volt., Freq. (on battery)	230V $\pm$ 10%, 50Hz. $\pm$ 2%	
26.	Output Connections	Minimum 4 nos. battery backed IEC 320 outlets.	
27.	Waveform Type (Battery mode)	Simulated Sine Wave	
28.	Overload	110% +/-10% Shutdown after 5 mins	
29.	Off mode charging.	UPS should get charged in off mode also.	
30.	Cold start function.	UPS should get switched on even if supply power is not available.	
Other			
31.	AC Power Surge Protection	All outlets	
32.	Battery Type	2 Nos. 12V 7Ah, Sealed, lead-acid, maintenance-free	
33.	Indications	AC Mode Battery Mode Fault	Green lighting Green flashing Red lighting
34.	Alarms	Battery Mode Low Battery Overload Battery Replacements Fault	Sounding every 10 seconds Sounding every second Sounding every 0.5 second Sounding every 2 second Continuously sounding
35.	Protection	Over load, discharge and over charge protection.	
36.	Operating Temperature	0-40 Deg C.	
37.	OEM Certifications	BIS, ISO 90001 and ISO 14401 & ISO 27001	
38.	Warranty	2 Years Comprehensive Onsite warranty including Battery.	

  
**Managing Director**  
**QSCSC Ltd., BBSR**



## TECHNICAL SPECIFICATION FOR MULTI FUNCTION PRINTER

Sl.No.	Parameter	Specification
1	Type	Print, copy, scan
2	Print Technology	Precision Core™ Print Head
3	Nozzle Configuration	400 Nozzles Black
4	Paper Size	A4, Legal
5	Print Speed (A4)	39 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> )
6	Duplex Printing	Required, Automatic
7	Duplex Print Speed (A4)	9 A4 pages/min Monochrome
8	Print Resolution	1,200 x 2,400 DPI
9	Duty Cycle	20000 pages or more
10	Recommended Monthly Page Volume	250 to 2500
11	Connectivity	1 Hi-speed USB 2.0, 1 Ethernet 10/100Base-TX
12	Input Trays	250 sheets or more.
13	Wi-Fi	Optional
14	Output Tray	100 sheets or more
15	Warranty	Comprehensive OEM Onsite warranty of 1 Year
16	POWER CONSUMPTION	12 Watt (standalone copying, ISO/IEC 24712 pattern), 0.7 Watt (sleep mode), 4.9 Watt (ready), 0.8 Watt (Power off)

### Specifications of Wi-Fi Adapter

1. N300 MBPS Wi-Fi Adapter having make Dlgisol or D-link.

*Mr.*  
**Managing Director**  
**QSCSC Ltd., BBSR**

# TECHNICAL SPECIFICATION FOR LASERJET MONO DUPLEX PRINTER

Sl.	Parameter	Specification
1	Type	Mono Printer
2	Print Technology	LaserJet
3	Cartridge Technology	Separate Drum & Toners
4	Paper Size	A4, B5, A5, A6, Legal, Letter
5	Print Speed (A4)	28 PPM or Higher
6	First Page Out Time	Approx. 5.2 seconds or better
7	Print Resolution	600 * 600 dpi or better
8	Duplex Printing	Required, Automatic
9	Memory	256 MB
10	Duty Cycle	30000
11	Recommended Monthly Page Volume	1500 pages or more
12	Connectivity	1 Hi-speed USB 2.0, 10Base-T/100Base-TX
13	Input Trays	251 sheets or more
14	Output Tray	100 sheets or more
15	Supported Media Weight	60 to 163 GSM or better
17	Power Consumption	1120W or Less
18	Operating Temperature Range	10 to 30 degree Celsius
19	Operating Humidity Range	20 to 80% RH
20	Print Language	UFR II LT
21	Operational Panel	5-line LCD Display
22	Dimensions (W x D x H)	371 x 404 x 225mm
23	Compatible Operating Systems	Windows 10, Windows 8.1, * Windows 8, Windows 7, Windows * Server 2016, Windows Server 2012 * R2, Windows Server 2012, Windows * Server 2008 R2, Windows Server * (*2) 2008, Mac OS X 10.7.5 & up, Linux

Managing Director  
OSCS Ltd., BBSR

## TERMS AND CONDITIONS

- a) The tenderers shall quote the item wise price along with GST (Goods & Service Tax) chargeable separately in the quotation.
- b) A Copy of the valid GST No. & PAN should be furnished with the quotation.
- c) The tender paper without required amount of EMD and documents as mentioned will not be accepted.
- d) The quoted price shall be valid for 1(one) year from the date of Purchase Order/Supply of items, whichever is later & which may be extended for subsequent years on mutually agreeable conditions by both the parties.
- e) The tenderers shall supply the required items as and when necessary within the stipulated time frame by the Corporation.
- f) Supply of Desktops & other peripherals shall be made only as per the accepted rate and as per the order given by the Corporation from time to time.
- g) The supply of intended articles shall be made available within 7 (seven) days from the date of issue of indented order.
- h) Failure to supply the total quantity/ part there of Desktops, Printers, Ups etc. within the stipulated time the supply order shall be cancelled along with forfeiture of EMD.
- i) The EMD amount of the successful tenderer will be kept as security deposit for one year on account of service support purposes.
- j) The EMD of all unsuccessful tenderers will be refunded to them within 7 days with proper acknowledgment.
- k) In comparison to the specifications given for the items as well as specifications submitted by the tenderers the committee will decide the best suitable items for the users to procure all items from one vendor taking into account of their prices.
- l) The selected vendor may agree to deliver the items as per our requirement at the District level throughout the state at his own cost. No extra charges will be paid beyond the quoted price duly approved by the committee.
- m) In the event of any dispute arising out of this agreement the jurisdiction of court shall be at Bhubaneswar for both the parties.
- n) The authority reserves the right to accept or reject any or all tender papers without assigning any reasons thereof.

SW

  
17-10-19  
Managing Director  
**Managing Director**  
**OSCSC Ltd., BBSR**



Memo no. 15238 dt. 18.10.19.

Copy to Notice Board of Head Office/Bill Section/Sri Sumit Kumar Batu, Asst. Programmer, IT Section, OSCSC Ltd for information and necessary action.

  
17.10.19  
Managing Director  
Managing Director  
OSCSC Ltd., BBSR

Memo no. 15239 dt. 18.10.19.

Copy forwarded to Diary Section, OSCSC Ltd for information and request to receive sealed tenders "Tender Paper for Supply of Desktops & other Peripherals" till dt. 28.10.2019 at 2 P.M. and may be handed over immediately to MVI, OSCSC Ltd.

  
17.10.19  
Managing Director  
Managing Director  
OSCSC Ltd., BBSR